



## VXR AUDIO STAND CABLE ORGANIZER

### Cable Organizer Assembly

**Step 1.** Verify that for each cable organizer main unit there are one left cable organizer strut, one right cable organizer strut, four #5-40 x 1/2" fasteners and four 1/4-20 x 3/4" fasteners (see Photo 1).




Photo 1

Select a location on the frame to install the cable organizer. HRS recommends that the second hole just below the brackets that support the isolation bases be used for the cable organizer, but your ideal location depends on the specific installation objective.

**Step 2.** Use the 5/32" T-wrench supplied with your VXR Audio Stand to screw the cable organizer struts to the bolt plates with the 1/4-20 x 3/4" screws (see Photo 2). Pay attention that the small threaded holes on the cable organizer strut are facing up and that you are screwing into the countersunk holes. For the cable organizer to be installed properly this orientation must be correct. Tighten the screws until you can turn the handle of the T-wrench 1/8 of a rotation without turning the screws.





Photo 2



*Photo 3*

**Step 3.** Lay the cable organizer main unit on the struts and position so the holes on both the cable organizer main unit and the threaded blind holes on the struts are aligned. On the cable organizer main unit make sure the counter bore structure for the fasteners is facing up. Use the supplied 5/64" Allen wrench to attach the cable organizer main unit to the cable organizer strut using the four #5-40 x 1/2" fasteners (see Photo 3). Torque these screws until the Allen wrench bends under additional force.

If your cable organizer has a mounted E1N Isolation Base, you should now remove the 1/2" of foam between it and the cable organizer grid.

Note: Be very careful not to cross thread the fasteners when assembling the unit. The precision threads should freely spin into the mating parts. If the parts seem to stick, back out and start the thread procedure over until parts assemble with ease.

## **Care and Maintenance**

Follow the instructions provided with your VXR Audio Stand as these guidelines also apply to the VXR Audio Stand Cable Organizer. The VXR Audio Stand Cable Organizer is a very low maintenance item that will provide many years of trouble-free performance by applying these basic care instructions. Clean the metallic parts of the Cable Organizer using a lint-free soft (non-abrasive) cloth. Use a damp cloth with a mild soap or Pledge Surface Cleaner if required. Do not use abrasive cleaners or solvents to clean the Cable Organizer.



## **Warranty:**

### Limited Five Year Warranty

Harmonic Resolution Systems warrants to the purchaser that each HRS VXR Audio Stand is free of manufacturing defects for a period of five (5) years from the date of purchase. This warranty is subject to the following conditions and limitations.

1. A copy of the original purchase receipt from a certified Harmonic Resolution Systems authorized retailer is used to verify the date of original purchase and ownership.
2. This warranty is void and inapplicable if the product has been handled other than in accordance with the instruction specified within this document, abuse or misused, damaged by accident or neglect or in being transported, or the defect is due to the product being tampered with, modified or repaired by anyone other than Harmonic Resolution Systems.
3. Warranty does not cover normal recommended care and maintenance.
4. Harmonic Resolution Systems shall not be responsible in any way for consequential or indirect damages or liabilities resulting from the use of the product covered herein or resulting from any breach of this warranty or any implied warranty relating to said product.

During this period, Harmonic Resolution Systems will repair or replace any defective components free of charge. A Return Authorization Number (RA Number) is required before any product is returned to Harmonic Resolution Systems for any reason. This number must be visible on the exterior of the shipping container(s) for Harmonic Resolution Systems to accept the return.

Units shipped to Harmonic Resolution Systems without a visible RA Number on the exterior of the shipping container(s) are subject to be returned to the sender, freight collect.

Units to be repaired by Harmonic Resolution Systems must be sent shipping and insurance prepaid by the original purchaser in the original packaging material. A returned product should be accompanied by a written description of the defect. Repaired units will be returned by Harmonic Resolution Systems shipping and insurance prepaid.

All other warranties or conditions either written or implied are void.

**HARMONIC RESOLUTION SYSTEMS INC.**  
**2495 Main Street, Suite 227**  
**Buffalo, NY 14214**  
**Telephone: 716-873-1437**  
**Web: [www.AVisolation.com](http://www.AVisolation.com)**  
**E-mail: [sales@AVisolation.com](mailto:sales@AVisolation.com)**